

Mensendieck somatokognitiv terapi for kvinner med kroniske underlivssmerter

Somatocognitive therapy of women with gynecological unexplained chronic pelvic pain

Gro Killi Haugstad, fysioterapeut, dr. philos., førsteamanuensis, Avdeling for Helsefag, Fysioterapeututdanningen studieretning Mensendieck, Høgskolen i Oslo
E-post: GroKilli.Haugstad@hf.hio.no

Fagartikkelen er en dobbeltpublisering av Introduction og sammendrag fra studiene i doktorgradsavhandlingen: Somatocognitive therapy of women with gynecological unexplained chronic pelvic pain.

References

Albert H. Psychosomatic group treatment helps women with chronic pelvic pain. *J Psychosom Obstet Gynaecol* 1999;20:216-25.

Altman DG. *Practical statistics for medical research*. London, Chapman & Hall 1991.

American Psychological Association: Standards for Educational and Psychological Tests. Washington DC, American Psychological Association 1974.

Andersen P. In: *Håndbok i Mensendieckgymnastikk 2.utgave, Mensendiecksystemets ledetråder i lys av nevrobiologisk kunnskap*. Oslo; Vett & Viten, 2003.

Anderson RU, Wise D, Sawyer T, Chan CA. Integration of myofascial trigger point release and paradoxical relaxation training treatment of chronic pelvic pain in men. *J Urol* 2005;174:155-60.

Anderson RU, Wise D, Sawyer T, Chan CA.

Sexual dysfunction in men with chronic prostatitis/chronic pelvic pain syndrome: improvement after trigger point release and paradoxical relaxation training. *J Urol* 2006;176:1534-8.

Anderson Ru. Sexual dysfunction in men with chronic prostatitis/chronic pelvic pain syndrome: improvement after trigger point release and paradoxical relaxation training. *J Urol* 2006;176:1534-8; discussion 1538-9.

Anonymous. The ICD-10 classification of mental and behavioural disorders. Clinical descriptions and diagnostic guidelines of women with chronic pelvic pain. Geneva, World Health Organization, 1992; pp 160-169.

Anonymous. IASP task force on taxonomy. Classification of chronic pain. Seattle, IASP Press 1994; pp 209-214.

Apkarian AV, Bushnell MC, Treede RD, Zubieta JK. Human brain mechanisms of pain perception and regulation and disease. *E J Pain* 2005;9:463-484.

Baker PK. Musculoskeletal origins of chronic pelvic pain. *Diagnosis and Treatment. Obstet Gynecol Clin N Am* 1993;20:719-43.

Bakke A, Malt UF. Social function and general well-being in patients treated with clean intermittent catheterization. *J Psychosom Res* 1993;37:371-380

Banic B, Steen Petersen-Felix, Andersen OK, Radanov BP, Villiger PM, Arendt-Nielsen, Michele Curatolo. Evidence for spinal cord hypersensitivity in chronic pain after whiplash injury and in fibromyalgia. *Pain* 2004;107:7-15.

Bates SM, Hill VA, Anderson JB, Chapple CR,

Spence R, Ryan C, Talbot MD. A prospective, randomized, double-blind trial to evaluate the role of a short reducing course of oral corticosteroid therapy in the treatment of chronic prostatitis/chronic pelvic pain syndrome. *BJU International* 2007; 99:355-9.

Beard RW, Reignald PW, Wadsworth J. Clinical features of women with chronic lower abdominal pain and pelvic congestion. *Br J Obstet Gynaecol* 1988;95:153-61.

Beck AT. *Cognitive therapy and the emotional disorders*. New York, International Universities Press 1976.

Benestad HB, Laake P. *Forskningsmetode i medisin og biofag*. Oslo, Gyldendal 2004.

Berberich HJ, Ludwig M. Psychosomatic aspects of the chronic pelvic pain syndrome. *Urologe A* 2004;43:254-60.

Bergman J, Zeitlin SI. Prostatitis and chronic prostatitis/chronic pelvic pain syndrome. *Expert Rev Neurother*. 2007;7:301-7.

Birmauer N, Flor H, Cevey B, Dworkin B, Miller NE. Behavioural treatment and scoliosis and kyphosis. *J Psychosom Res* 1994;38:623-8.

Bodden-Heidrich R, Kupperts V, Beckmann MW, Rechenberger I, Bender HG. Chronic pelvic pain syndrome (CPPS) and chronic vulvar pain syndrome (CVPS): evaluation of psychosomatic aspects. *Psychosom Med Psychother* 1999;45:372-389.

Bodden-Heidrich R, Kupperts V, Beckmann MW, Rechenberger I, Bender HG. Chronic pelvic pain and chronic vulvodinia as multifactorial psychosomatic disease syndromes: results of a psy-

- chometric and clinical study taking into account musculoskeletal diseases. *Zentralbl Gynakol* 1999;121:389-9.
- Bodden-Heidrich R. Chronic pelvic pain syndrome - a multifactorial syndrome. *Zentralbl Gynakol* 2001;23:10-7.
- Bodden-Heidrich R, Hilberink M, Frommer J. Psychosomatic aspects of urogynaecology: Model considerations on the pathogenesis, diagnosis and therapy. *Zentral Gynakol* 2004;126:237-43.
- Borg-Stein J. Treatment of fibromyalgia, myofascial pain, and related disorders. *Phys Med Rehabil Clin N Am* 2006;17:491-510.
- Boye B, Munkvold OG, Bentsen H, Notland TH, Lersbryggen AB, Oskarsson KH, Uren G, Ulstein I, Lingjærde O, Malt UF. Pattern of emotional overinvolvement in relatives of patients with schizophrenia: a stress syndrome analogue? *Nord J Psychiatry* 1998;52:493-9.
- Breen J. Transitions in the Concept of Chronic Pain. *Nurs Sci* 2002;24:48-59.
- Bunkan BH. Muskelspenninger og kroppsbilde. Undersøkelse og behandling. Oslo, Universitetsforlaget AS 1985.
- Bunkan BH, Moen O, Opjordsmoen S, Moen O, Friis S. What are the basic dimensions of respiration? A psychometric evaluation of The Comprehensive Body Examination II. *Nord J Psychiatry* 1999;53:361-369.
- Bunkan BH. The Comprehensive Body Examination. Manual. Oslo, Norwegian University Press 2000.
- Bunkan BH, Ljunggren AE, Opjordsmoen S, Moen O, Friis S. What are the basic dimensions of movements? A psychometric evaluation of the Comprehensive Body Examination III. *North J Psychiatry* 2001;55:33-40.
- Bunkan BH, Moen O, Opjordsmoen S, Ljunggren AE, Friis S. Interrater reliability of the comprehensive body examination. *Physiotherapy Theory and Practice* 2002;18:121-129.
- Bunkan BH. The resource-oriented body examination. A manual, Oslo Gyldendal 2003.
- van Bussel JC, Spitz B, Demyttenaere K. Women's mental health before, during, and after pregnancy: a population-based controlled study. *Birth* 2006;33:297-302.
- Butler AC, Beck JS. Cognitive Therapy Outcomes: A Review of Meta-Analyses. *Tidsskrift for Norsk Psykologforening* 2001;38:698-706.
- Byrne P. Psychiatric morbidity in a gynaecology clinic: an epidemiological survey. *Br J Psychiatry* 1984;144:28-34.
- Campbell A, Walker J, Farrell G. Confirmatory factor analysis of the GHQ-12: can I see that again? *Austr NZ J Psychiatry* 2003;37:475-83.
- Campbell LC, Clauw DJ, Keefe FJ. Persistent pain and depression: a biopsychosocial perspective. *Biol Psychiatry* 2003;54:399-409.
- Carr JH, Sheperd RB. Neurological rehabilitation – Optimizing motor performance. Oxford, Butterworth –Heinemann 1998.
- Chang L. Brain responses to visceral and somatic stimuli in irritable bowel syndrome: a central nervous system disorder. *Gastroenterol Clin North Am* 2005;34:271-9.
- Chaaya MM, Bogner HR, Gallo JJ, Leaf PJ. The association of gynecological symptoms with psychological distress in women of reproductive age: a survey from gynecology clinics in Beirut, Libanon. *J Psychosom Obstet Gynaecol* 2003;24:175-84.
- Ching HL, Burke V, Stuckey BG. Quality of life and psychological morbidity in women with polycystic ovary syndrome: body mass index, age and the provision of patient information are significant modifiers. *Clin Endocrinol* 2007;66:373-9.
- Cornel EB, van Haast EP, Schaarsberg RW, Greels J. The effect of biofeedback physiotherapy in men with Chronic Pelvic Pain Syndrome Type III. *Eur Urol* 2005;47:607-11.
- Crooks LK. Assessing Pain and the Joint Commission Pain Standards. *Top Emerg Med* 2002;2:1-9.
- Diatchenko L, Nackley AG, Slade GD, Fillingim RB, Maixner W. Idiopathic pain disorders – pathways of vulnerability. *Pain* 2006;123:226-30.
- Dick ML. Chronic pelvic pain in women: assessment and management. *Aust Fam Physician* 2004;33:971-6.
- Dimitrakov JD, Kaplan SA, Kroenke K, Jackson JL, Freeman MR. Management of chronic prostatitis/chronic pelvic pain syndrome: an evidence-based approach. *Urology* 2006;67:881-8.
- Duffy S. Chronic pelvic pain: defining the scope of the problem. *Int J Gyn Obst* 2001;74:3-7.
- Ehlert U, Heim C, Hellhammer DH. Chronic Pelvic Pain as a Somatoform Disorder *Psychother Psychosom* 1999;68:87-94.
- Ekerholt K, Bergland A. The first encounter with Norwegian psychomotor physiotherapy: patient's experiences, a basis for knowledge. *Scand J Public Health* 2004;32:403-10.
- Engman M, Lindehammar H, Wijma B. Surface electromyography diagnostics in women with partial vaginismus with or without vulvar vestibulitis and in asymptomatic women. *J Psychosom Obstet Gynaecol* 2004;25:281-94.
- Erikson E, Nordwall RPT, Kurlberg G. Effects on Body Awareness Therapy in Patients with Irritable Bowel syndrome. *Adv Physiother* 2002;4:125-135.
- Eriksen HR, Ursin H. Sensitization and subjective health complaints. *Scand J Psychol* 2002;43:189-96.
- Eriksen HR, Ursin H. Subjective health complaints, sensitization, and sustained cognitive activation. *J Psychosom Res* 2004;56:445-8.
- Facchini S, Muellbacher W, Battaglia F, Boroojerdi B, Halett M. Focal enhancement of motor cortex excitability during motor imagery: a transcranial magnetic stimulation study. *Acta Neurol Scand* 2002;105:146-51.
- Fitts PM, Posner MI. Human performance. Belmont, CA: Brooks/Cole Publishing Company 1967.
- Fitts PM. The Information Capacity of the Human Motor System in Controlling the Amplitude of Movement. *J Exp Psychology*: 1954;47:381-391. Reprint *J Exp Psychology*: General, 1992;121:262-269.
- FitzGerald MP, Kotarinos R. Rehabilitation of the short pelvic floor. I: Background and patient evaluation. *Int Urogyn J Pelvic Floor Dysfunct* 2003;14:261-8.
- Fitzgerald MP. Can chronic pelvic pain in men be treated with myofascial trigger point release and paradoxical relaxation training? *J Urol* 2005;174:155-160.
- Flanagan JR, Vetter P; Johansson RS; Wolpert DM. Prediction precedes control in motor learning. *Curr Biol*. 2003;13: 146-50.
- Freeman A, Greenwood V. Cognitive therapy. Applications in Psychiatric and Medical settings. New York, Human sciences press 1987.
- Friis S, Skatteboe UB, Hope MK, Vaglum P. Body Awareness Group Therapy for Patients with Personality Disorders. 2. Evaluation of the Body Awareness Rating Scale. *Psychother Psychosom* 1989;51:18-24.
- Friis S, Bunkan BH, Ljunggren AE, Moen O, Opjordsmoen S. What are the basic dimensions of body posture? An empirical evaluation of the Comprehensive Body Examination. I. *Nord J Psychiatry* 1998;52:319-326.
- Friis S, Bunkan BH, Opjordsmoen S, Moen O, Ljunggren AE. The Comprehensive Body Examination (CBE): From global impressions to specific sub-scales. *Adv in Physiother* 2002;4:161-168.
- Gallagher RM. Rational polypharmacy in integrated pain treatment. *Am J Phys Med Rehabil* 2005;84:64-76.

- Gallagher RM, Verma S. Biopsychosocial pain medicine: Integrating medical, psychiatric and behavioural therapies. *Semin Neurosurg* 2004;15:31-46.
- Gard G. Body awareness therapy for patients with fibromyalgia and chronic pain. *Disability and Rehabilitation* 2005;27:725-728.
- Gentile AM. A working model of skill acquisition to teaching. *Quest* 1972;17:3-23.
- Gentile AM. Implicit and explicit processes during acquisition of functional skills. *Scand J Occup Therapy* 1998;5:7-16.
- Giubilei G, Mondaini N, Minervini A, Saieva C, Lapini A, Serni S, Batroletti R, Carini M. Physical activity of men with chronic prostatitis/chronic pelvic pain syndrome not satisfied with conventional treatments –could it represent a valid option? The physical activity and male pelvic pain trial: a double-blind, randomized study. *J Urol* 2007;177:159-65.
- Goldappel K, Segal Z, Garson C, Lau M, Bieling P, Kennedy S, Mayberg H. Modulation of cortical-limbic pathways in major depression: treatment-specific effects of cognitive behaviour therapy. *Arch Gen Psychiatry* 2004;61:34-41.
- Goldberg D, Williams P. A user's guide to the General Health Questionnaire. Windsor NFER-Nelson 1988.
- Goldby LJ, Moore AP, Doust J, Trew ME. A randomized controlled trial investigating the efficiency of musculoskeletal physiotherapy on chronic low back disorder. *Spine* 2006;31:1083-93.
- Grace VM, Zondervan KT. Pelvic pain in New Zealand: prevalence, pain severity, diagnosis and use of the health services. *Australian and New Zealand J Public Health* 2004;28:369-75.
- Grace VM. Problems of communication, diagnosis and treatment experienced by women using the New Zealand health services for chronic pelvic pain. A quantitative analysis. *Health Care Women Int.* 1995;66:117-127.
- Green C, Tait R, Gallagher RM. The unequal burden of pain: disparities and differences. *Pain Med* 2004;6:1-2.
- Greco CD. Management of adolescent chronic pelvic pain from endometriosis: a pain center perspective. *J Ped Adol Gyn* 2003;16:17-19.
- Graugaard PK, Holgersen K, Finset A. Communication with alexithymic and non-alexithymic patients: an experimental study of the effect of psychosocial communication and empathy on patient satisfaction. *Psychoter Psychosom* 2004;73:92-100.
- Gullacksen AC, Lidbeck J. The life adjustment process in chronic pain: Psychosocial assessment and clinical implications. *Pain Res Manage* 2004;9:145-153.
- Gunter J. Chronic Pelvic Pain: An Integrated Approach to Diagnosis and Treatment. *Obst Gyn Survey* 2003;58:615-23.
- Gyllensten AL, Ekdahl C, Hansson L. Validity of the Body Awareness scale-helath (BAS-H). *Scand J Caring Sci* 1999;13:217-26.
- Gyllensten AL, Gard G, Salford E, Ekdahl C. Interaction between patient and physiotherapist: a qualitative study reflecting the physiotherapist's perspective. *Physiother Res Int.* 1999;4:89-109.
- Gyllensten AL, Ovesson MN, Lindstrom I, Hansson L, Ekdahl C. Reliability of Body Awareness Scale-Health. *Scand J Caring Sci.* 2004;18:213-9.
- Hamaoui A, Do M, Pupard L, Bouisset S. Does respiration perturb body balance more in chronic low back pain subjects than in healthy subject? *Clin Biomech* 2002;17:548-50.
- Haugstad GK. Behandling av psykosomatiske lidelser. *Fysioterapeuten* 1999;66:13-17.
- Haugstad GK. Utvikling og validering av en standardisert, kvantifisert Mensendieck test. Anvendelse av testen ved fysioterapiundersøkelse av kroniske smertepasienter. Hovedfagsoppgave Det medisinske fakultet Universitetet i Oslo, 2000.
- Haugstad GK; Haugstad TS; Leganger S, Kirste UM; Malt UF. A controlled, randomized intervention study of patients with chronic low abdominal pain. *J Psychosom Res* 2000;48:235.
- Haugstad GK, Malt UF, Leganger S, Kirste UM, Haugstad TS. Mensendieck somatocognitive therapy. Platform presentation at the 25th World Conference in Psychotherapy. Trondheim, 2002.
- Havermark AM, Languis-Eklöf A. Long-term follow up of a physical therapy programme for patients with fibromyalgia syndrome. *Scand J Caring Sci.* 2006 ;20:315-22.
- Hayes SA, Hope DA, VanDyke MM, Heimberg RG. Working alliance for clients with social anxiety disorder: relationship with session helpfulness and within-session habituation. *Cogn Behav Ther.* 2007;36:34-42.
- Hersoug AG. Quality of working alliance in psychotherapy: Therapist contribution. *Psychol Psychoanalyst* 2002;22:18-20.
- Hetrick DC, Ciol MA, Rothman I, Turner JA, Frest M, Berger RE. Musculoskeletal dysfunction in men with chronic pelvic pain syndrome type III: A case-control study. *J Urol* 2003;170:828-831.
- Higgins S. Motor skill acquisition. *Physical Therapy* 1991;71:123-139.
- Hilden M, Schei B, Swahnberg K, Halmesmäki E, Langhoff-Roos J, Offerdal K, Pikarinen U, Sidenius K, Steingrimsdottir T, Stoum-Hinsverk H, Wijma B. A history of sexual abuse and health: a Nordic multicentre study. *BJOG* 2004;111:1121-7.
- Hodges NJ, Franks IM. Modelling coaching practice: the role of instruction and demonstration. *J Sports Sciences* 2002;20:793-811.
- Hofbauer RK, Rainville P, Duncan GH, Bushnell MC. Cortical representation of the sensory dimension of pain. *J Neurophysiol* 2001;86:402-11.
- Hoffart A, Nordahl HM. Kvalitetssikring av kognitiv terapi: En modell for veiledning. *Tidsskrift for Norsk Psykologforening* 2001;8:707-717.
- Howard FM. Chronic pelvic pain. *Obstet Gynecol* 2003;101:594-611.
- Horwitz-Stern R, Smolin Y. Chronic pelvic pain. Chapter 35. In: Blumenfeld M, Strain JJ. *Psychosomatic Medicine*. Philadelphia USA, Lippincott Williams & Wilkins 2006.
- Huppert FA, Walters DA; Day NE, Elliott JB: The factor structure of the General Health Questionnaire (GHQ-30). *Br J Psychiatry* 1989;155:178-185.
- Jain S, Janssen K, DeCelle S. Alexander technique and Feldenkrais method: a critical overview. *Phys Med Rehab Clin N Am* 2004;15:811-25.
- Jamieson DJ, Steege JF. The prevalence of dysmenorrhoea, dyspareunia, pelvic pain and irritable bowel syndrome in primary care practices. *Obstet Gynecol* 1996;87:332-7.
- Jarell J. Myofascial dysfunction in the pelvis. *Curr Pain Headache Rep* 2004;8:452-6.
- Jensen MP, Karoly P, Braver S. The measurement of clinical pain intensity: a comparison of six methods. *Pain* 1986;27:117-126.
- Kaasa S, Malt UT, Hagen S, Wist E, Moum T, Kvikstad A. Psychological distress in cancer patients with advanced disease. *Radiother Oncol* 1993;27:193-7.
- Kames LD, Rapkin AJ, Naliboff BD. Effectiveness of an interdisciplinary pain management program for the treatment of chronic pelvic pain. *Pain* 1990;41:41-46.
- Kanbara K, Mitani Y, Fukunaga M, Ishino S, Takebayashi N, Nakai Y. Paradoxical results of psychophysiological stress profile in functional somatic syndrome: correlation between subjective tension score and objective stress response. *Appl Psychophys Biofeed* 2004;29:255-68.
- Karlehagen S, Malt UT, Hoff H, Tibell E, Herrströmer U, Hildingson K, Leymann H. The effect of major railway accidents on the psychological health of train drivers □ II: A longitudinal study of the one-year outcome after the accident. *J Psychosom Res* 1993;37:807-17.
- Kelly S, Lloyd D, Nurmikko T, Roberts N.

Retrieving Autobiographical Memories of Painful Events Activates Cingulate Cortex and Inferior Frontal Gyrus. *J Pain* 2007; 8:307-14.

Kendall SA, Brodin-Magnusson K, Søren B, Gerde B, Henriksson KG. A Pilot Study of Body Awareness Programs in the Treatment of Fibromyalgia Syndrome. *Arthritis Care and Research* 2000;13:304-307.

Kirste UM, Haugstad GK, Leganger S, Blomhoff S, Malt UF. Chronic pelvic pain in women. *Tidsskrift Nor Lægeforen*. 2002;122:1223-7.

Klemmetsen I. *The Mensendieck System of Functional Movements*. Oslo, Vett & Viten AS 2005.

Kotarinos RK. Pelvic floor physical therapy in urogynecologic disorders. *Curr Women Health Rep* 2003;3:334-9.

Kulkarni B, Bentley DE, Elliott R, Youell P, Watson A, Derbyshire SW, Frackowiak KJ, Jones AK. Attention to pain localization and unpleasantness discriminates the functions of the medial and lateral pain systems. *Eur J Neurosci* 2005;21:3133-42.

Kvåle A, Ljunggren AE, Johnsen TB. Examination of movement in patients with longstanding musculoskeletal pain: reliability and validity. *Physiotherapy Research International* 2003a; 8:36-52.

Kvåle A, Johnsen TB, Ljunggren AE. Examination of respiration in Patients with longstanding musculoskeletal pain: Reliability and Validity. *Adv Phys* 2002;4:169-81.

Kvåle A, Skouen JS, Ljunggren AE. Discriminative validity of Global Physiotherapy Examination (GPE-52) in patients with longstanding musculoskeletal pain versus healthy persons. *J Musculoskel Pain* 2003b;11:x-xx.

Kvåle A. Measurement properties of a Global Physiotherapy Examination in patients with longstanding musculoskeletal pain. Doctoral thesis. Section of Physiotherapy Science Department of Public Health and Primary Health Care. Faculty of Medicine University of Bergen, 2003c.

Kvåle A, Skouen JS, Ljunggren AE. Sensitivity to change and responsiveness of the global physiotherapy examination (GPE-52) in patients with long-lasting musculoskeletal pain. *Phys Ther* 2005;85:712-26.

Lamoth CJC, Daffertshofer A, Meijer O, Moseley GL, Wuisman PIJM, Beek PJ. Effects of experimentally induced pain and fear of pain on trunk coordination and back muscle activity during walking. *Clinical Biomechanics* 2004;19:551-563.

Learman LA, Kuppermann M, Gates E, Gregorich SE, Lewis J, Washington AE. Predictors of hysterectomy in women with common pelvic problems: a uterine survival analysis. *J Am Coll Surg* 2007; 204:633-41

Leon AC, Shear MK, Portera L, Klerman GL. Effect Size as a measure of symptom-specific drug change in clinical trials. *Psychopharm bulletin* 1993;29:163-167.

Lidbeck J. Group therapy for somatization disorders in general practice: Effectiveness of a short cognitive-behavioural treatment mode. *Acta Psych Scand* 1997;96:14-24.

Lidbeck J. Central hyperexcitability in chronic musculoskeletal pain: a conceptual breakthrough with multiple clinical implications. *Pain Res Manag* 2002;7:81-92.

Lingsten K, Halvorsen G. *Sykegrep; behandlingsgrep innenfor Mensendiecktradisjonen*. Oslo, Vett & Viten AS 2001

Linton SJ, Nordin E. A 5-year follow-up evaluation of health and economic consequences of an early cognitive behavioral intervention for back pain: a randomized, controlled trial. *Spine* 2006;31:853-8.

Loeser JD, Turk DC. Multidisciplinary pain management. In: Loeser JD, Butler SH, Chapman RC, Turk DC eds. *Bonica's Management of Pain*. 3rd ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2001; pp 2069-2079.

Maigne JY, Chatellier G, Faou ML, Archambeau M. The treatment of chronic coccydynia with intrarectal manipulation: a randomized controlled study. *Spine* 2006;15:621-7.

Malt UF. The validity of the General Health Questionnaire in a sample of accidentally injured adults. *Acta Psychiatr Scand* 1989;80 (Suppl. 355):103-112.

Malt UF, Nerdrum P, Oppedal B, Gundersen R, Holte M, Løne J. Physical and mental problems attributed to dental amalgam fillings. A descriptive study of 99 self-referred patients compared with 272 controls. *Psychosom Med* 1997;59:32-41.

Malmgren-Olsson EB, Branhold IB. A comparison between three physiotherapy approaches with regard to health-related factors in patients with non-specific musculoskeletal disorders. *Disabil Rehabil* 2002;24:308-17.

Mathias SD, Kuppermann M, Liberman RF, Steege JF. Chronic pelvic pain, prevalence, health-related quality of life, and economic correlates. *Obstet Gynecol* 1996;87:332-7.

Mattson M, Wikman M, Dahlgren L, Mattson B. Physiotherapy as Empowerment-Treating Women with Chronic Pelvic Pain. *Advances in Physiotherapy* 2000;2:125-143.

Mayou RA. Somatization. *Psychother Psychosom* 1993;59:69-83.

Mayou RA, Bryant B, Sanders D, Bass C, Klimes I, Forfar C. A controlled trial of cognitive behav-

ioural therapy for non-cardiac chest pain. *Psychol Med* 27;1021-31.

McCaffery M. *Nursing Practice theories Related to Cognition, Bodily Pain, and Man-Environment Interaction*. Los Angeles, Calif UCLA Student Store;1968.

McCaffery M, Pasero C. Practical nondrug approaches to pain. In: McCaffery M, Pasero C eds. *Pain: Clinical Manual*, 2nd ed. St. Louis: Mosby; 1999; pp 399-427.

Mensendieck BM. *Bewegungsprobleme. Die Gestaltung schöner Arme*. München, F. Bruckman 1927.

Mensendieck BM. *The Mensendieck system of functional exercises, volume I*. Portland, Maine: The Southworth - Anthoensen Press 1937.

Mensendieck BM. *Look better, feel better*. New York, Harper & Brothers 1954.

Melzack R. Evolution of the neuromatrix theory of pain. The prithvi raj lecture: presented at the third world congress of world congress of world institute of pain, Barcelona 2004. *Pain Pract* 2005;5:85-94.

Merskey H, Bogduk N. *Classification of Chronic Pain. Descriptions of Chronic Pain Syndromes and Definitions of Pain Terms*, 2nd edn. Seattle, IASP Press 1994.

Makikangas A, Feldt T, Kinunen U, Tolvanen A, Kinnunen ML, Pulkkinen L. The factor structure and factorial invariance of the 12-item General Health Questionnaire (GHQ-12) across time: evidence from two community-based samples. *Psychol Assess* 2006;18:444-51.

Moseley GL. A pain neuromatrix approach to patients with chronic pain. *Man Ther* 2003;8:130-140.

Nadler RB. Bladder training biofeedback and pelvic floor myalgia. *Urology* 2002;60:42-44.

Nerdrum P. Training of emphatic communication for helping professionals. Doctoral dissertation. Oslo University 2000.

Nerdrum P, Rønnestad MH. The trainees' perspective. A qualitative study of learning emphatic communication in Norway. *The Counseling Psychologist* 2002;30:609-629.

Nerdrum P, Rønnestad MH. Changes in Therapists' Conceptualization and Practice of Therapy Following empathy Training. *The Clinical Supervisor* 2003;20:37-61.

Nicholson A, Fuhrer R, Marmot M. Psychological distress as a predictor of CHD events in men: the effect of persistence and components of risk. *Psychosom Med* 2005;67:522-30.

Nott PN, Cutts S. Validation of the 30-item Gen-

- eral Health Questionnaire in postpartum women. *Psycholog Med* 1982;12:409-13.
- Osborne TL, Raichle KA, Jensen MP. Psychologic interventions for chronic pain. *Phys Med Rehabil Clin N Am*. 2006;17:415-33.
- Ohayon MM, Schatzberg AF. Using chronic pain to predict depressive morbidity in the general population. *Arch Gen Psychiatry* 2003;60:39-47.
- Pallant J. *SPSS Survival Manual. A step by step guide to data analysis using SPSS version 12*. New York, Open University Press 2001.
- Peters AAW, Dorst E van, Jelli B, Zuuren E van, Hermans J, Trimbos JB. A randomized clinical trial to compare two different approaches in women with chronic pelvic pain. *Obstetrics and Gynecology* 1992; 7:740-44.
- Phillips ML, Gregory LJ, Cullen S, Cohen S, Ng V, Andrew C. The effect of negative emotional context on neural and behavioural responses to oesophageal stimulation. *Brain* 2003;126:669-84.
- Pyszel A, Malyszczak K, Pyszel K, Andrzejak R, Szuba A. Disability, psychological distress and quality of life in breast cancer survivors with arm lymphedema. *Lymphology* 2006;39:85-92.
- Rakin G, Stokes M. Reliability of assessment tools in rehabilitation: an illustration of appropriate statistical analyses. *Clin Rehabil* 1998;12:187-199.
- Rapkin AJ, Kames LD. The pain management approach to chronic pelvic pain. *J Reprod Med* 1987 32;323-7.
- Reich W. *The Function of the orgasm*. London, Panther Books 1961.
- Reinecke AM, Dattilio FM, Freeman A. *Cognitive therapy with children and adolescents*. New York; The Guilford Press 1996.
- Rempel DM, Krause M, Goldberg R, Benner D, Hudes M, Goldner GU. A randomised controlled trial evaluating the effects of two workstations intervention on upper body pain and incident musculoskeletal disorders among computer operators. *Occup Environ Med* 2006;63:300-6.
- Rigault NB. *Mensendieck-systemet i et didatisk perspektiv - på jakt etter røtter*. Hovedfagsoppgave. Universitetet i Oslo, 1989.
- Rosmalen JGM, Neeleman J, Bans ROB, de Jonge P. The association between neuroticism and self-reported common somatic symptoms in a population cohort. *J Psychosom Res* 2007;62:305-11.
- Roxendal G. Psychosomatically oriented physiotherapy. In: Sivik & Theorell, editor, *Psychosomatic medicine*. Lund: Studentlitteratur; 1995.
- Russel II, Orr MD, Littman B, Vipraio GA, Alboukrek D, Michalek JE, Lopez Y, MacKillip F. Elevated cerebrospinal fluid levels of substance P in patients with fibromyalgia syndrome. *Arthritis Rheum* 1994;37:1593-601.
- Ryum T, Stile TC. Betydningen av den terapeutiske allianse: En studie av alliansens prediktive validitet. *Tidsskrift Norsk Psykolog* 42;998-1003.
- Salvesen KA, Morkved S. Randomised controlled trial of pelvic floor muscle training during pregnancy. *BMJ* 2004;329:378-380.
- Salvesen KA, Øyen L, Schmidt N, Malt UF, Eiknes SH. Comparison of long-term psychological responses to women after pregnancy termination due to fetal anomalies and after perinatal loss. *Ultrasound Obstet Gynecol* 1997;9:80-85
- Schachter S, Singer J. Cognitive, social and physiological determinants of emotional state. *Psychol Review* 1962;69:379-99.
- Schaeffer AJ. Etiology and management of chronic pelvic pain syndrome in men. *Urology* 2004;63:75-83.
- Schlinger M. Feldenkrais Method, Alexander Technique, and yoga-body awareness therapy in performing arts. *Phys Med Rehab Clin N AM* 2006;17.865-75.
- Schonstein E, Kenny DT, Keating J, Koes B, Herbert RD. Physical conditioning, work hardening and functional restoration for workers with back and neck pain: a cochrane systematic review. *Spine* 2003a;28:391-5.
- Schonstein E, Kenny DT, Keating J, Koes BW. Work condition, work hardening and functional restoration for workers with back and neck pain. *Cochrane Database Syst Rev*. 2003b;1: CD001822.(b)
- Schontz FC. *Fundamentals of Research In The Behavioral Sciences. Principles and Practice*. American Psychiatric Press 1986.
- Sharp DJ. Validation of the 30-item General Health Questionnaire in early pregnancy. *Psychol Med* 1988;18:503-7.
- Sharpe M. Cognitive behavioural therapies in the treatment of functional somatic symptoms. *Treatment of functional somatic symptoms*. Oxford University Press 1995;7:122-143.
- Shields SA, Mallory ME, Simon A. The Body Awareness Questionnaire: Reliability and validity. *J Pers Assess* 1989;53:802-15.
- Shrout PE, Fleiss JL. Intraclass correlations in assessing rater reliability. *Psychological Bulletin* 1979;86:420-428.
- Sidentopf F, Kantenich H. Chronic pelvic pain in women. *Zentral Gynakol* 2004;126:61-6.
- Silverstein B. Gender differences in the prevalence of clinical depression: the role played by depression associated with somatic symptoms. *Am J Psychiatry* 1999;156:480-2.
- Silverstein B. Gender differences in the prevalence of somatic versus pure depression: a replication. *Am J Psychiatry* 2002;159:1051-2.
- Skari H, Skreden M, Malt UF, Dalholt M, Østensen AB, Egeland T, Emblem R. Comparative levels of psychologic distress, stress symptoms, depression and anxiety after childbirth- a prospective population-based study of mothers and fathers. *BJOG* 2002;109:1-10.
- Skatteboe U. *Basal kroppskjennskap og bevegelsesharmoni. Videreutvikling av undersøkelsesmetoden Body Awareness Rating Scale, BARS-Bevegelsesharmoni*. Oslo; Høgskolen i Oslo, HiO publikasjon, 2000.
- Skouen JS, Grasdal AL, Haldorsen EMH, Ursin H. Relative cost-effectiveness of extensive and light multidisciplinary programs for chronic low back pain patients on long- term sick leave. A randomized controlled study. *Spine* 2002;27:901-909.
- Slocumb JC. Neurological factors in chronic pelvic pain: Trigger points in the abdominal pelvic pain syndrom. *Am J Obst Gynecol* 1987;149:536-543.
- Smeets RJ, Vlaeyen JW, Kester AD, Knottnerus JA. Reduction of pain catastrophizing mediates the outcome of both physical and cognitive-behavioral treatment in chronic low back pain. *J Pain* 2006;7:261-71.
- Souter VL, Hopton JL, Penney GC, Templeton AA. Survey of psychological health in women with infertility. *J Psychosom Obstet Gynaecol* 2002; 23: 41-9.
- Staud R, Domingo M. Evidence for abnormal pain processing in fibromyalgia syndrome. *Pain Med* 2001;2:208-15.
- Stegner AJ, Tobar DA, Kane MT. Generalizability of change scores on the Body Awareness Scale. *Measure phys edu exercise science* 1999;3:25-40.
- Sterling M, Jull G, Vicenzino B, Kenardy J, Darnell R. Physical and psychological factors predict outcome following whiplash injury. *Pain* 2005;114:141-8.
- Strong J, Unruh AM, Wright A, Baxter CE. *Pain: A textbook for therapists*. Edinburgh, Churchill Livingstone 2002; pp. 123-147.
- Stones RW, Mountfield J. Management of chronic pelvic pain in women. *Cochrane Database Syst Rev* 1998;2:1.
- Stuge B, Veierod MB, Laerum E, Vollestad N. The efficacy of treatment program focusing on specific stabilizing exercises for pelvic girdle pain after pregnancy: a two- year follow-up of a randomized clinical trial. *Spine* 2004;15:197-203.

- Soukup MG, Glomsrød B, Lønn JH, Bø K, Larsen S. The Effect of Mensendieck Exercise Program as Secondary Prophylaxis for Recurrent Low Back Pain. A randomized, Controlled Trial With 12-Month Follow-up. *Spine* 1999;24:1585-1591.
- Sundsvold MØ, Vaglum P, Denstad K. Global fysioterapeutisk muskelundersøkelse. Oslo, Private publishing company 1982.
- Sundsvold MØ, Vaglum P, Denstad K. Muscular pain and psychopathology: evaluation by the GMP method. *International Perspectives in Physical Therapy*. In: Michel Th (Red.) Volume on Pain. London, Churchill Livingstone; 1985:18-47.
- Tjemsland L, Søreide JA, Malt UF. Post-traumatic distress symptoms in operable breast cancer III: Status one year after surgery. *Breast Cancer Research and Treatment* 1998;47:141-151
- Tu FF, As-Sanie S, Steege JF. Musculoskeletal causes of chronic pelvic pain: a systematic review of diagnosis: Part I. *Obstet Gynecol Surv* 2005;60:379-85.
- Tu FF, As-Sanie S, Steege JF. Musculoskeletal causes of chronic pelvic pain: a systematic review of existing therapies: part II. *Obstet Gynecol Surv*. 2005;60:474-83.
- Tu FF, As-Sanie S, Steege JF. Prevalence of musculoskeletal disorders in female chronic pelvic pain clinic. *J Reprod Med* 2006;51:185-9.
- Turk DC, Okifuji A, Sherman J. Behavioral aspects of low back pain. In: Taylor JR, Twomey L. *Physical Therapy of the Low Back*. 3rd ed. New York, NY: Churchill Livingstone, 2000; pp 351-383.
- Turk DC. Cognitive-behavioral approach to the treatment of chronic pain patients. *Reg Anesth Pain Med* 2003;28:573-9.
- Ursin H. Sensitization, somatization and subjective health complaints. A review. *Int J Behav Med* 1997;4:105-116.
- Ursin H, Eriksen HR. Sensitization, subjective health complaints, and sustained arousal. *Ann N Y Acad Sci* 2001;933:119-29.
- Ursin H. Press stop to start: the role of inhibition for choice and health. *Psychoneuroendocrinology* 2005;30:1059-65.
- Villemure C, Bushnell MC. Cognitive modulation of pain: how do attention and emotion influence pain processing? *Pain* 2002;95:195-9.
- Warnock JK, Clayton AH. Chronic episodic disorders in women. *Psychiatr Clin North Am* 2003;26:725-740.
- Weiner D, Peterson B, Keefe F. Chronic pain-associated behaviors in the nursing home: resident versus caregiver perceptions. *Pain* 1999;80:577-88.
- Wennemer U, Borg-Stein J, Gomba L, Delaney B, Rothmund A, Barlow D, Breeze G, Thompson A. Functionally oriented rehabilitation program for patients with fibromyalgia: preliminary results. *Am J Phys Med Rehabil* 2006;85:659-66.
- Wesselmann U, Czakanski PP. Pelvic Pain: A Chronic Visceral Pain Syndrome. *Current Pain and Headache Reports* 2001;5:13-19.
- Wigers SH, Finset A. Rehabilitation of chronic myofascial pain disorders. *Tidsskr Nor Laegeforen* 2007;127:604-8.
- Wijma B, Schei B, Swahnberg K, Hilden M, Offerdal K, Pikarinen U, Sidenious K, Steingrimsdottir T, Stoum H, Halmesmäki E. Emotional, physical, and sexual abuse in patients visiting gynaecology clinics: a Nordic cross-sectional study. *Lancet* 2003;361:2107-13.
- Winkelstein BA. Mechanisms of central sensitization, neuroimmunology & injury biomechanisms in persistent pain: implications for musculoskeletal disorders. *J eletromyogr Kinesiol* 2004;14:87-93.
- Wojniusz S. Association between personality traits and bodily findings. An explorative pilot study. Master thesis Institute of Nursing and Health Sciences Faculty of medicine University of Oslo 2006.
- Worsley A, Walters WA, Wood EC. Responses of Australian patients with gynaecological disorders to the General Health Questionnaire: a factor analytic study. *Psychol Med*. 1978 Feb;8:131-8.
- Yutzy SH. Somatization. In: Blumenfield M, Strain JJ. *Psychosomatic Medicine*. Philadelphia, Lippincott Williams & Wilkins 2006;537-543.
- Zondervan KT. The community prevalence of chronic pelvic pain in women and associated illness behaviour. *Br J Gen Pract* 2001;51:541-547.
- Zondervan, KT, Yudkin PL, Vessey MP, Dawes MG, Balow DH, Kennedy Sh. Prevalence and incidence of chronic pelvic pain in primary care: evidence from a national general practice database. *Br J Obstet Gynecol* 1999;106:1149-1155.
- Öst LG. Applied relaxation: description of a coping technique and review of controlled studies. *Behaviour Research and Therapy* 25:397-407